

# TileLab® Heavy-Duty Stripper & Cleaner

## 1 Product Name

TileLab® Heavy-Duty Stripper & Cleaner

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800-200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)



## 3 Product Description

Concentrated cleaner and stripper for tough cleaning jobs. Cleans heavy build-up of grease, scuff marks and most major stains. Strips wax and acrylic floor finishes. Great for renewing old tile installations. Will also remove light cement grout haze and mortar residue. Will not harm the surface and emits no strong fumes or odors.

### Key Features

- Non-acidic; Strips wax and finishes
- Cuts through heavy build-up

### Suitable Tile Types

Use on tile, stone, marble, granite, grout, cement, masonry and vinyl flooring.

### Packaging

1 quart (946 mL) bottle

## 4 Technical Data

### Technical Properties Chart

- Removes most common dirt and grease
- Removes most acrylic floor finishes
- pH of mixed material 10-12
- Complies with all Federal and SCAQMD Standards for VOCs

## 5 Instructions

### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. Remove all loose dust and dirt from the surface. For stripping or removing wax and acrylic floor finishes, light cement grout haze or mortar residue use full strength.

**For normal heavy-duty cleaning:** Mix 1 part Heavy-Duty Stripper & Cleaner with 7 parts water.

**For stronger cleaning action:** Mix 1 part with 5 parts water. Liberally apply with sponge or mop and allow to stand for 3-5 minutes, 45 minutes for heavy residue. Do not allow it to dry. Lightly scrub the surface with a nylon scrub brush or scrub machine. Remove residue with a mop or wet vacuum. Repeat as necessary. When cleaning or stripping is completed, rinse thoroughly with water and remove residue with mop or wet vacuum.

### Cleaning of equipment

Clean tools and hands with water before material dries.

### Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 40°F - 90°F (4°C and 32°C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Health Precautions

CORROSIVE. HARMFUL IF SWALLOWED. CAUSES EYE, SKIN AND RESPIRATORY IRRITATION. Wear skin and eye protection. Do not breathe vapor or spray. Contains sodium hydroxide and diethylene glycol monobutylether. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, move to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention. KEEP OUT OF REACH OF CHILDREN.

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	TLSTSRAQT-3	1 qt (946 ml)	Bottle
Canada	CTLSTSQT-3	1 qt (946 ml)	Bottle

## 7 Product Warranty

Custom® Building Products warrants to the original consumer purchaser that its product shall be free from defects in material and workmanship under normal and proper usage for a period of one year following the date of original purchase. Custom's® sole liability under this warranty shall be limited to the replacement of the product. Some states, countries or territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty will not extend to any product which has been modified in any way or which has not been used in accordance with Custom's® printed instructions. Custom® makes no other warranties either expressed or implied. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or from one country/territory to another. This warranty is not transferrable.



# CUSTOM®

# TileLab® Heavy-Duty Stripper & Cleaner

---

**8 Product Maintenance**

Properly installed product requires no special maintenance.

**9 Technical Services Information**

For technical assistance, contact Custom® Building Products.

**10 Filing System**

Additional product information is available from the manufacturer upon request.

---

**Related Products**

TileLab® SurfaceGard® Sealer



**CUSTOM®**

# TileLab® Heavy-Duty Stripper & Cleaner

---

Coverage

SIZE	Min Coverage	Max Coverage
<b>For Cleaning:</b>		
Quart (946 mL) — Diluted 7:1	200 sq. ft. (19 M <sup>2</sup> )	600 sq. ft. ( 55.7 M <sup>2</sup> )
<b>For Stripping:</b>		
Quart (946 mL)	25 sq. ft. (2.3 M <sup>2</sup> )	75 sq. ft. (7 M <sup>2</sup> )

