

# Aqua Mix® 1 & 2 Deep Clean

## 1 Product Name

Aqua Mix® 1 & 2 Deep Clean

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

An effective, highly-concentrated, high-alkaline, two part (1 part powder, 1 part liquid) industrial strength cleaner and degreaser. Removes ground-in dirt, grease and soap scum. Cost effective product for use in large commercial areas such as restaurants, malls, and hotels. Also effective for quick and easy removal of all types of waxes and synthetic floor finishes.

### Key Features

- Highly concentrated cost effective
- For heavily soiled and neglected areas
- Removes ground-in dirt, grease, wax and floor finishes

### Suitable Tile Types

Natural stone (such as granite, limestone, marble, slate, and travertine), ceramic, porcelain, grout, concrete, quarry, masonry surfaces and other stone and tile.

### Limitations to the Product

- Do not allow product to come in contact with any non-recommended surface
- Not recommended for use on vinyl or linoleum surfaces
- Do not mix with other cleaners or strippers

## 4 Technical Data

### Technical Chart

Property	Results
pH	12-13 (alkaline)

### Environmental Consideration

Complies with all Federal EPA and SCAQMD standards for VOC.

## 5 Instructions

### Mixing Procedures

- Mix powder and liquid in plastic container only
- Do not use metal or aluminum containers
- Once mixed, cleaner will remain in solution for several months
- Store unused, mixed solution in a well marked, tightly capped plastic container



### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. Sweep, vacuum or wipe surface to remove loose debris. Mix 1 & 2 Deep Clean as follows in a plastic container or bucket:

**CLEANING AND STRIPPING:** Mix 1/4 cup (30 g) powder to 2 1/2 gallons (9.5 L) of water and mix well. Then add 1/4 cup (59 mL) of liquid and mix thoroughly.

**HEAVY-DUTY CLEANING AND STRIPPING:** Mix 1/2 cup (60 g) of powder to 2 1/2 gallons (9.5 L) of water and mix well. Then add 1/2 cup (118 mL) of liquid and mix thoroughly.

Note: Mixing solution with hot water is preferable, however, cold water may be used. Liberally apply cleaning solution with mop or sponge. Allow to dwell for 15 to 20 minutes. Agitate with a scrub brush or scrub machine. Do not allow solution to dry on surface. Apply additional solution if necessary. Mop up dirty solution or remove with a wet/dry vacuum. Rinse with clean water.

### Cleaning of equipment

Clean tools with water before material dries.

### Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Health Precautions

**CORROSIVE. CAUSES BURNS. HARMFUL IF SWALLOWED.** Wear skin and eye protection. Do not breathe vapor or spray. Contains silicic acid. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, move to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.



# Aqua Mix® 1 & 2 Deep Clean

---

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	010120 (set)*	8 lbs. (3.6 kg)	Powder/Liquid Drums

\* Indicates a special order item

## 7 Product Warranty

Custom® Building Products warrants to the original consumer purchaser that its product shall be free from defects in material and workmanship under normal and proper usage for a period of one year following the date of original purchase. Custom's® sole liability under this warranty shall be limited to the replacement of the product. Some states, countries or territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty will not extend to any product which has been modified in any way or which has not been used in accordance with Custom's® printed instructions. Custom® makes no other warranties either expressed or implied. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or from one country/territory to another. This warranty is not transferrable.

## 8 Product Maintenance

Properly applied product requires no special maintenance.

## 9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit [custombuildingproducts.com](http://custombuildingproducts.com).

## 10 Filing System

Additional product information is available from the manufacturer upon request.

---

### VOC Content

Maximum VOCs: 14 grams per liter

### Related Products

Aqua Mix® Sealer's Choice® Gold



# CUSTOM®

# Aqua Mix® 1 & 2 Deep Clean

---

## Coverage

Coverage will vary depending on dilution.

Size	Min Coverage	Max Coverage
1 Unit (3.78 L)	8,000 ft <sup>2</sup> (743 M <sup>2</sup> )	32,000 ft <sup>2</sup> (2,973 M <sup>2</sup> )



**CUSTOM**®