

# Aqua Mix® AquaKleen™

## 1 Product Name

Aqua Mix® AquaKleen™

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

**This product has been discontinued. For a similar product, please use [Aqua Mix® AquaShield™ Cleaner & Resealer](#).**

A ready-to-use, powerful, multi-purpose tile and grout spray cleaner that cleans and deodorizes kitchens and bathrooms. It removes grease, grime, and dirt, including kitchen traffic dirt. AquaKleen™ also leaves bathrooms bright and clean and effectively cleans grout joints. AquaKleen™ is ideal for everyday use with cement grout.

### Key Features

- Powerful, multi-purpose spray cleaner
- Easily cleans all tile and stone surfaces
- Ideal for everyday use

### Suitable Tile Types

Water-safe kitchen and bathroom surfaces, anywhere grease or dirt is a problem: ceramic surfaces, natural stone, tile, porcelain, grout, plastic, glass, fiberglass, cultured marble, metal surfaces laminate, quartz countertops and fixtures. Excellent for cleaning basins, tubs and tiles.

### Limitations to the Product

- Do not allow product to come in contact with any non-recommended surfaces
- This product should not be used to clean utensils, glassware or dishes
- Not recommended for painted surfaces

## 4 Technical Data

### Technical Properties Chart

Complies with all Federal EPA and SCAQMD standards for VOC

### Technical Chart

Property	Test Method	Requirement	Typical Results
pH	Meter	n/a	11

### Environmental Consideration

Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product may contribute towards LEED® certification:



- Up to 2 points towards MR Credit 5, Regional Materials
- Complies with all Federal, SCAQMD, and CARB standards for VOC's

## 5 Instructions

### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. Household gloves should be worn during application. Spray or apply by mop, sponge, or cloth on hard, nonporous surfaces to thoroughly wet them, spraying 6-8 inches from surface. Rub with brush, sponge, or cloth. Wipe dry with a clean cloth or sponge or allow to air dry. Rinse all surfaces that come in contact with food, such as countertops, appliances, tables, and stovetops with potable water before reuse. Rinsing is not necessary on floor surfaces that are to be waxed or polished. For stubborn stains, allow to dwell on surface prior to cleanup.

### Cleaning of equipment

Clean tools with water before material dries.

### Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Do not breathe vapor or spray. Contains N-Alkyl (C12-18) dimethylbenzylammonium chloride. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, remove to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	010506-4	24 oz. (720 ml)	Spray



# CUSTOM®

# Aqua Mix® AquaKleen™

---

## 7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at [www.custombuildingproducts.com/product-warranty](http://www.custombuildingproducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

## 8 Product Maintenance

Properly applied product requires no special maintenance.

## 9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit [custombuildingproducts.com](http://custombuildingproducts.com).

## 10 Filing System

Additional product information is available from the manufacturer upon request.

---

### VOC Content

Maximum VOCs: 20 grams per liter

### Handling & Storage

Protect from freezing. Store in a cool, dry area.

### Related Products

Aqua Mix® Sealer's Choice® Gold

# Aqua Mix® AquaKleen™

---

Coverage

Size	Min Coverage	Max Coverage
24 oz (720 mL) Bottle	500 sq. ft. (46 M <sup>2</sup> )	

