

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Custom Building Products

10400 Pioneer Blvd, Unit #3, Santa Fe Springs, CA, United States

For the following product(s):

Adhesives:

CUSTOM[®] Vinyl PSA, CUSTOM[®] Vinyl VCT, CUSTOM[®] Wood HP4

The product(s) meets all of the necessary qualifications to be certified for the following claim:

FloorScore[®]

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (October 2017); Hong Kong Air Pollution Control (VOC) Regulation.

Standard Product Application Amount: 1100 g/m²

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ ; Between 0.5 – 5.0 mg/m³ ; Greater than/equal to 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-FS-06614

Valid from: December 22, 2020 to December 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore[®] product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ISO/IEC 17065
Product Certification Body
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA