

HPD UNIQUE IDENTIFIER: 24545

CLASSIFICATION: 04 05 16.16 Chemical-Resistant Masonry Grouting

PRODUCT DESCRIPTION: CEG-IG is an industrial grade, water cleanable, 100% solids epoxy grout that has high chemical, temperature and stain resistance. It is formulated for harsh environments such as commercial kitchens and food processing facilities. CEG-IG is a two component epoxy system that combines a pigmented hardener with epoxy resins and recycled aggregates to fill joint widths from 1/16" to 1/2" (1.6-13mm) and won't shrink or sag. With its fast cure time, CEG-IG provides a quick return to service. CEG-IG is compatible with both CEG-Lite Part A and CEG Part A epoxy grout color pigment and hardener products.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i> Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	Considered in 2 of 2 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CEG-IG 100% SOLIDS INDUSTRIAL GRADE EPOXY GROUT PART B [QUARTZ LT-1 | CAN FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL (FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL) LT-P1 | MUL GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) LT-UNK PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER (PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER) BM-1 | MUL BENZYL ALCOHOL (BENZYL ALCOHOL) BM-2 | MAM TITANIUM DIOXIDE LT-1 | CAN | END ((3-(TRIMETHOXYSILYL)PROPOXY)METHYL)OXIRANE ((3-(TRIMETHOXYSILYL)PROPOXY)METHYL)OXIRANE) LT-P1 | MUL N,N'-ETHYLENEBIS-12-HYDROXYSTEARAMIDE (N,N'-ETHYLENEBIS-12-HYDROXYSTEARAMIDE) NoGS BENTONITE LT-UNK] CEG-LITE™
100% SOLIDS COMMERCIAL EPOXY GROUT PART A [TITANIUM DIOXIDE LT-1 | CAN | END DIETHYLENETRIAMINE (DIETHYLENETRIAMINE) LT-P1 | SKI | REP ISOPHORONE DIAMINE (ISOPHORONE DIAMINE) LT-P1 | SKI | MUL UNDISCLOSED BM-1 | END | MUL | REP | DEV | SKI | EYE BENZYL ALCOHOL (BENZYL ALCOHOL) BM-2 | MAM QUARTZ LT-1 | CAN TETRAETHYLENEPENTAMINE (TETRAETHYLENEPENTAMINE) LT-P1 | SKI | AQU | MUL FUMED SILICA, CRYSTALLINE-FREE (FUMED SILICA, CRYSTALLINE-FREE) BM-1 IRON OXIDE BM-1 | CAN FERRIC OXIDE BM-1 | CAN IRON HYDROXIDE OXIDE YELLOW LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 45.1 Regulatory (g/l): 45.1

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

VOC emissions: UL/GreenGuard Gold Certified
VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-04-21

PUBLISHED DATE: 2021-04-21

EXPIRY DATE: 2024-04-21

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CEG-IG 100% SOLIDS INDUSTRIAL GRADE EPOXY GROUT PART B %: 90.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES
CONSIDERED: Yes

MATERIAL TYPE: Polymeric
Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER MATERIAL NOTES:

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-21 19:14:43

%: 60.0000 - 100.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL (FORMALDEHYDE, POLYMER WITH 2- (CHLOROMETHYL)OXIRANE AND PHENOL)

ID: 9003-36-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-21 19:14:43

%: 10.0000 - 30.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:44**

#: **7.0000 - 13.0000** GS: **LT-UNK** RC: **PostC** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER (PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER)

ID: 28064-14-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:47**

#: **1.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

BENZYL ALCOHOL (BENZYL ALCOHOL)

ID: 100-51-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:47**

#: **1.0000 - 5.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAM	EU - R-phrases	R22 - Harmful if Swallowed

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:49**

#: **0.0000 - 1.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

((3-(TRIMETHOXYSILYL)PROPOXY)METHYL)OXIRANE ((3-(TRIMETHOXYSILYL)PROPOXY)METHYL)OXIRANE)

ID: 2530-83-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:49**

#: **0.0000 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

N,N'-ETHYLENEBIS-12-HYDROXYSTEARAMIDE (N,N'-ETHYLENEBIS-12-HYDROXYSTEARAMIDE)

ID: 123-26-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:50**

#: **0.0000 - 0.2500** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

BENTONITE

ID: 1302-78-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:50**

#: **0.0000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:45**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

BENZYL ALCOHOL (BENZYL ALCOHOL)

ID: 100-51-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-21 19:14:46**

#: **3.0000 - 9.0000**

GS: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAM	EU - R-phrases	R22 - Harmful if Swallowed

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:46		
%: 1.7500 - 2.5000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

TETRAETHYLENEPENTAMINE (TETRAETHYLENEPENTAMINE)

ID: 112-57-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:48		
%: 1.0000 - 2.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FUMED SILICA, CRYSTALLINE-FREE (FUMED SILICA, CRYSTALLINE-FREE)

ID: 112945-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:48	
%: 0.7500 - 1.2500	GS: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Ranges given due to batch to batch variability.			

IRON OXIDE

ID: **1317-61-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:51	
%: 0.0000 - 10.0000	GS: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES: Ranges given due to batch to batch variability.			

FERRIC OXIDE

ID: **1309-37-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:51	
%: 0.0000 - 10.0000	GS: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES: Ranges given due to batch to batch variability.			

IRON HYDROXIDE OXIDE YELLOW

ID: **20344-49-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-21 19:14:52	
%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Ranges given due to batch to batch variability.			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: ALL
CERTIFICATE URL:
<https://www.custombuildingproducts.com/reference-library/leed-certification/greenguard-gold-certification.aspx>

ISSUE DATE: 2019-06-25 EXPIRY DATE:

CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: ALL
CERTIFICATE URL:

ISSUE DATE: 2021-04-21 EXPIRY DATE:

CERTIFIER OR LAB: SELF-DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit 3
 Santa Fe Springs California 90670, United States
WEBSITE:
<http://www.custombuildingproducts.com/products/grout-materials/epoxy-grout/ceg-ig.aspx#>

CONTACT NAME: Tim Kennedy
TITLE: Compliance Manager
PHONE: (404) 634-9100 x 3351
EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

