created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 351101272064 CLASSIFICATION: 09 90 00 Painting and Coating PRODUCT TYPE: Colorants (Paints and Coatings)

PRODUCT DESCRIPTION: Polyblend® Grout Renew is a waterborne acrylic stain and sealer for renewing or changing the color of cement grout joints.

Formulated with fade-resistant pigments, Grout Renew seals the grout against stains while it colors. Available in all 40 Polyblend® Plus colors to

complement any tile or stone installation.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Threshold Disclosed Per

Material

Basic Method

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No.

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GROUT RENEW [WATER BM-4 UNDISCLOSED LT-UNK LIMESTONE BM-3dg TITANIUM DIOXIDE BM-1 | CAN | END | MAM UNDISCLOSED LT-UNK HYDRATED FERRIC OXIDE LT-UNK FERRIC OXIDE BM-1 CAN | MAM FERROSOFERRIC OXIDE BM-1 | CAN UNDISCLOSED LT-P1 | END | MAM | REP QUARTZ BM-1 | CAN | MAM | GEN

UNDISCLOSED LT-P1 | SKI | MUL | AQU | MAM | EYE | GEN]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBL

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 18.45 Regulatory (g/l): 43.69

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: VOC Emissions VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2024-01-10 PUBLISHED DATE: 2024-01-10 EXPIRY DATE: 2027-01-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GROUT RENEW

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

| WATER | | | | ID: 7732-18-5 |
|-------------------------|----------------------------------|----------------|-------------------------|--|
| HAZARD DATA SOURCE: Pha | aros Chemical and Materials Lib | rary | HAZARD S | CREENING DATE: 2024-01-10 12:03:02 |
| %: 30.0000 - 60.0000 | GreenScreen: BM-4 | RC: None | NANO: No | SUBSTANCE ROLE: Diluent |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| EXEMPT | European Union / European EC) | Commission (EU | EU - REACH Exer | mptions |
| | | | Exempted from RI safety | EACH Annex IV listing due to intrinsic |
| | | | | |

| UNDISCLOSED | | | | ID: Undisclosed |
|----------------------|---|-------------------|------------------|--|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Libra | ry | HAZARI | O SCREENING DATE: 2024-01-10 12:03:03 |
| %: 10.0000 - 30.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No v | varnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | N |
| RESTRICTED LIST | Cradle to Cradle Products Inn (C2CPII) | ovation Institute | | 4 Product Standard Restricted Substances ective July 1, 2022 |
| | | | Core Restriction | ns |

| LIMESTONE | ID: 1317-65-3 |
|-----------|----------------------|
| | |

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | / | HAZARD SO | CREENING DATE: 2024-01-10 12:03:03 |
|----------------------|---------------------------------------|----------|-----------------|---|
| %: 10.0000 - 30.0000 | GreenScreen: BM-3dg | RC: None | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warr | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |
| | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

TITANIUM DIOXIDE ID: 13463-67-7

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Lib | rary | HAZARD S | CREENING DATE: 2024-01-10 12:03:03 |
|---------------------|-----------------------------------|------------------|--|---|
| %: 7.0000 - 13.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| CAN | US CDC - Occupational Cal | rcinogens | Occupational Card | cinogen |
| CAN | CA EPA - Prop 65 | | Carcinogen - spec | cific to chemical form or exposure route |
| CAN | IARC | | Group 2B - Possib from occupational | oly carcinogenic to humans - inhaled sources |
| CAN | MAK | | | o 3A - Evidence of carcinogenic effects o establish MAK/BAT value |
| END | TEDX - Potential Endocrine | Disruptors | Potential Endocrin | ne Disruptor |
| CAN | MAK | | Carcinogen Group | o 4 - Non-genotoxic carcinogen with low AT levels |
| CAN | IARC | | Group 2b - Possib | ly carcinogenic to humans |
| CAN | EU - GHS (H-Statements) A | nnex 6 Table 3-1 | H351 - Suspected Category 2] | of causing cancer [Carcinogenicity - |
| CAN | GHS - Japan | | H351 - Suspected Category 2] | of causing cancer [Carcinogenicity - |
| MAM | GHS - Japan | | repeated exposure | amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---|--|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) |
| | Li 79 | Colorants - Green Circle (Verified Low Concern) |
| | | |

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

| UNDISCLOSED | | | | ID: Undisclosed |
|---------------------|---------------------------------------|----------|-----------------|--|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | | HAZARE | SCREENING DATE: 2024-01-10 12:03:03 |
| %: 7.0000 - 13.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No v | varnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | 1 |
| None found | | | | No listings found on Additional Hazard Lists |

| HYDRATED FERRIC OXID | E | | | ID: 20344-49-4 |
|----------------------|--------------------------------------|----------|-----------------|---|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Librar | у | HAZARD S | CREENING DATE: 2024-01-10 12:03:04 |
| %: 0.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | rnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |

| HAZARD DATA SOURCE: Ph | aros Chemical and Materials Librar | У | HAZARD S | CREENING DATE: | 2024-01-10 12:03:0 |
|------------------------|------------------------------------|----------|--|--|------------------------|
| %: 0.0000 - 5.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE R | OLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| CAN | MAK | | Carcinogen Group but not sufficient f | o 3B - Evidence of ca or classification | arcinogenic effects |
| MAM | GHS - Japan | | repeated exposure | umage to organs thro e [Specific target org I exposure - Categor | ans/systemic toxicity |
| MAM | GHS - Japan | | | umage to organs [Sp oxicity following sing | = |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No | listings found on Ac | dditional Hazard Lists |

| FERROSOFERRIC OXIDE | | | | ID: 1317-61-9 |
|---------------------|---|----------|--|---|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | | HAZARD S | CREENING DATE: 2024-01-10 12:03:04 |
| %: 0.0000 - 5.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| CAN | MAK | | Carcinogen Group but not sufficient for | o 3B - Evidence of carcinogenic effects or classification |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Ra | nges given due to batch to batch variability. | | | |

| UNDISCLOSED | | | | ID: Undisclosed |
|------------------------|-------------------------------------|----------|-----------------|------------------------------------|
| HAZARD DATA SOURCE: Ph | aros Chemical and Materials Library | у | HAZARD S | CREENING DATE: 2024-01-10 12:03:04 |
| %: 0.1000 - 3.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Anti-freeze |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| REP | GHS - Japan | H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| | EIOT TO MILE THE GOOTIGE | 11011110/11011 |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| RESTRICTED LIST | | |
| RESTRICTED LIST | | GSPI - Six Classes Precautionary List |

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

QUARTZ ID: 14808-60-7

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-01-10 12:03:05 | |
|---|-------------------|----------|--|-----------------------------------|
| %: 0.1000 - 1.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

| UNDISCLOSED | ID: Undisclosed |
|-------------|-----------------|
| | |
| | |

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-01-10 12:03:04 | | |
|---|--------------------------------------|--|-----------------|--|
| %: 0.0100 - 0.1000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Antimicrobial Pesticide |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | 8 |
| SKI | MAK | | Sensitizing | Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Ha Waters | zardous to | Class 3 - Se | evere Hazard to Waters |
| SKI | EU - GHS (H-Statements) Ann | nex 6 Table 3-1 | | ses severe skin burns and eye damage [Skin ritation - Category 1A or 1B or 1C] |

| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
|-----|---|---|
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1C |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM | GHS - New Zealand | Acute inhalation toxicity category 3 |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - Australia | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| AQU | GHS - Korea | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Korea | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |

| MAM | GHS - Korea | H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3] |
|---------------------|---------------------------------------|---|
| GEN | GHS - Korea | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Japan | H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3] |
| MAM | GHS - Australia | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | GHS - Australia | H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3] |
| MAM | GHS - New Zealand | Acute dermal toxicity category 3 |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| MAM | GHS - Japan | H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List |
| | | Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Antimicrobials |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2021-06-23 00:00:00 **EXPIRY DATE:**

DECLARED

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: CDPH V1.2-2017 testing not completed.

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2021-06-23 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: SELF-**DECLARED**

CERTIFIER OR LAB: SELF-

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd

Unit #3

Santa Fe Springs, CA 90670 COUNTRY: United States

WEBSITE:

https://www.custombuildingproducts.com/products/grout-materials/grout-colorant/polyblend-grout-renew.aspx

CONTACT NAME: Tim Kennedy
TITLE: Compliance Manager
PHONE: (470) 681-5332

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.