MegaLite® Ultimate Crack Prevention Large Format Tile Mortar by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 95577457664 CLASSIFICATION: 09 30 00 Tiling

PRODUCT TYPE: Cementitious Setting Material (Tile)

PRODUCT DESCRIPTION: Ultimate performing lightweight mortar protects against cracks. Offers the ultimate in bond strength for the most demanding installation requirements with the flexibility to withstand horizontal substrate movement. Formulated with CustomLite® technology, it's 40% lighter than other mortars, providing excellent handling characteristics, and offers non-sag, non-slip installation on walls. Diverse in application, it is capable of thin-set or medium-bed use up to 3/4" (19 mm) thick on horizontal surfaces after beat in. Non-slump, medium-bed features provide the ultimate support for large format tile and stone. Formulated with premium white cements and select recycled content for a white backdrop for the delicate installation of hard-to-bond glass tile. A 30 lb (13.6 kg) bag covers the same area as a 50 lb (22.68 kg) bag of traditional mortar. Use for interior or exterior floors, countertops and walls. Formulated with recycled material, contributes to LEED® certification. Exceeds ANSI A118.4TE, A118.15TE and A118.11 without the need for



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Threshold Disclosed Per

Material

Basic Method

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

○ Yes ⊙ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MEGALITE® ULTIMATE CRACK PREVENTION LARGE FORMAT TILE MORTAR [PORTLAND CEMENT LT-P1 | CAN | END | MAM UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED BM-3dg | MAM UNDISCLOSED BM-3 | EYE UNDISCLOSED LT-UNK | MAM UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK QUARTZ BM-1 | CAN | MAM | GEN UNDISCLOSED LT-UNK |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

SCREENING DATE: 2024-01-16

listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

PUBLISHED DATE: 2024-01-16 **VERIFICATION #:** EXPIRY DATE: 2027-01-16

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

MEGALITE® ULTIMATE CRACK PREVENTION LARGE FORMAT TILE MORTAR

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:

Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Lib	orary	HAZARD S	SCREENING DATE:	2024-01-16 5:56:09
%: 50.0000 - 70.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE R	OLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group but not sufficient for	3B - Evidence of cal or classification	rcinogenic effects
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor	
MAM	GHS - Japan			respiratory irritation igle exposure - Cate	
MAM	GHS - Japan		repeated exposure	mage to organs through [Specific target organs or category]	ans/systemic toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	ditional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	CREENING DATE: 2024-01-16 5:56:09
%: 18.0000 - 28.0000	GreenScreen: LT-UNK	RC: PostC	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
	-7	Exempted from REACH Annex V listing due to intrinsic safety
SUBSTANCE NOTES: Ranges giv	en due to batch to batch variability.	

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAR	RD SCREENING DATE: 2024-01-16 5:56:10
%: 6.0000 - 12.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Rar	nges given due to batch to batch variability			

HIGH-ALUMINA CEMENT				ID: 65997-16-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	SCREENING DATE: 2024-01-16 5:56:10
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Rai	nges given due to batch to batch variability	·.		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD S	SCREENING DATE: 2024-01-16 5:56:10
%: 0.0000 - 3.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder

MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
		2 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2024-01-16 5:56:10
%: 1.0000 - 2.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cate	egory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection EPA)	Agency (US	US EPA - DfE Sa	afer Chemicals Ingredients list (SCIL)
	,		Enzymes and Sta	abilizers - Green Circle (Verified Low

JNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-01-16 5:56:10
%: 0.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	respiratory irritation [Specific target agle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2024-01-16 5:56:11
%: 0.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE:	Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		ŭ	oup 3B - Evidence of car nt for classification	cinogenic effects
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N	
None found				No listings found on Add	ditional Hazard Lists
SUBSTANCE NOTES: Rai	nges given due to batch to batch variability.				

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-01-16 5:56:11
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ra	anges given due to batch to batch variability			

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-01-16 5:56:11
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists

QUARTZ

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-16 5:56:11

%: 0.0000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS			
CAN	US CDC - Occupational Ca	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CAN	US NIH - Report on Carcin	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	MAK		Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	IARC	IARC		Group 1 - Agent is Carcinogenic to humans		
CAN	US NIH - Report on Carcin	US NIH - Report on Carcinogens		Known to be a human Carcinogen		
CAN	GHS - Japan	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 1		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]			
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]			
MAM	GHS - Australia	IS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ξ	NOTIFICATION	N		
None found				No listings found on Additional Hazard Lists		

UNDISCLOSED ID: Undisclosed HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-16 5:56:11 %: 0.0000 - 0.2000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-05-27 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: UL

CERTIFICATE URL:

https://www.custombuildingproducts.com/referencelibrary/leed-certification/greenguard-gold-certification.aspx

CERTIFICATION AND COMPLIANCE NOTES:

Environment

VOC CONTENT

VOC Content

EXPIRY DATE:

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-04-05 00:00:00

CERTIFIER OR LAB: SELF-

CERTIFICATE URL:

DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit #3
Santa Fe Springs, California 90670

COUNTRY: United States

WEBSITE:

https://www.custombuildingproducts.com/products/setting-

materials/large-format-tile-mortars/megalite.aspx#

CONTACT NAME: **Tim Kennedy** TITLE: **Compliance Manager** PHONE: **(470) 681-5332**

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.