# RedGard® SpeedCoat® Waterproofing Membrane by Custom Building Products

**Health Product** Declaration v2.3

Yes ○ No

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 49706244096

CLASSIFICATION: 09 34 00 Waterproofing-Membrane Tiling PRODUCT TYPE: Cold Fluid-Applied (Waterproofing)

PRODUCT DESCRIPTION: RedGard SpeedCoat® is a ready-to-use, fast curing liquid-applied waterproofing membrane for both commercial and residential ceramic and natural stone tile installations. Suited for interior substrates, it creates a continuous waterproofing barrier with outstanding adhesion. It bonds directly to clean metal, PVC, stainless steel, and ABS drain assemblies. Its cross linking moisture cure technology helps in the ability to flood test and install a shower system in one day unlike typical membranes. Revolutionary cross linking moisture cure technology that allows for exceptionally fast cure time - one coat cures in as little as one hour Ideal from hot/humid to cold/damp conditions Listed with IAPMO for use as a shower pan liner Coverage for one gallon is the same as 3.5 gallons of traditional waterproofing membranes Combine with CUSTOM's SpeedSlope™ Rapid Setting Sloping Mortar for a fast track shower tile installation system Excels on freshly installed mortar beds



# Section 1: Summary

# **Basic Method / Product Threshold**

## **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm

C Per GHS SDS Other

Completed

C Partially Completed

Residuals/Impurities Evaluation

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

REDGARD® SPEEDCOAT® WATERPROOFING MEMBRANE [ LIMESTONE BM-3dg UNDISCLOSED LT-UNK PORTLAND CEMENT LT-P1 | CAN | END | MAM DECAMETHYLCYCLOPENTASILOXANE (D5) BM-1 | END | PBT HEXADECYLTRIMETHOXYSILANE LT-UNK VINYLTRIMETHOXYSILANE BM-1tp | MAM | PHY ETHYLENE GLYCOL MONO-N-BUTYL ETHER BM-2 | END | SKI | EYE | MAM | REP UNDISCLOSED LT-UNK | AQU UNDISCLOSED LT-UNK DIBUTYLTIN DIACETATE BM-1 | DEV | REP | MUL | CAN | MAM | GEN | SKI | EYE | AQU QUARTZ BM-1 | CAN | MAM | GEN UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | END | DEV | MUL | REP | PHY | MAM | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 81 Regulatory (g/l): 81

Does the product contain exempt VOCs: Yes

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario VOC content: VOC Content

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2024-01-16 PUBLISHED DATE: 2024-01-16 EXPIRY DATE: 2027-01-16

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **REDGARD® SPEEDCOAT® WATERPROOFING MEMBRANE**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

LIMESTONE				ID: <b>1317-65-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-01-16 8:19:33
%: 30.0000 - 60.0000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: <b>F</b>	Pharos Chemical and Materials Librar	у	HAZAR	RD SCREENING DATE: 2024-01-16 8:19:34
%: 15.0000 - 40.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V
None found				No listings found on Additional Hazard Lists

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-16 8:19:34

%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient for	3B - Evidence of carcinogenic effects r classification
END	TEDX - Potential Endocrine Disi	ruptors	Potential Endocrine	Disruptor
MAM	GHS - Japan			respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

# **DECAMETHYLCYCLOPENTASILOXANE (D5)**

ID: **541-02-6** 

HAZARD DATA SOURCE:	E: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-16 8:19:34		
%: 3.0000 - 7.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Diluent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor	
PBT	OR DEQ - Priority Persistent	t Pollutants	Priority Persistent	Pollutant - Tier 1	
PBT	EC - CEPA DSL			umulative and inherently Toxic (PBiTE) t (based on aquatic organisms)	
PBT	ChemSec - SIN List		PBT / vPvB (Persistent & very B	stent, Bioaccumulative, & Toxic / very Bioaccumulative)	
PBT	EU - SVHC List		PBT - Candidate li	st	
PBT	EU - SVHC List		vPvB - Candidate	list	
PBT	EU - SVHC List		PBT - Prioritized for	or listing	
PBT	EU - SVHC List		vPvB - Prioritized f	for listing	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classes	s Precautionary List	
			Some Solvents		
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4 F List (RSL) - Effecti	Product Standard Restricted Substances ve July 1, 2022	
			Formulated Consu	imer Products	

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$ 

HEXADECYLTRIMETHOXYSILANE ID: 16415-12-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-01-16 8:19:34
%: 3.0000 - 7.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

VINYLTRIMETHOXYSILANE ID: 2768-02-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-01-16 8:19:3
%: 3.0000 - 7.0000	GreenScreen: BM-1tp	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Scavenger
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		=	e damage to organs [Specific target toxicity following single exposure -
PHY	GHS - New Zealand		Flammable liquid	s category 2
PHY	GHS - Japan		H225 - Highly flar liquids - Category	nmable liquid and vapour [Flammable 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

 ${\small \verb|SUBSTANCE| NOTES: Ranges| given due to batch to batch variability.}$ 

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

## ETHYLENE GLYCOL MONO-N-BUTYL ETHER

ID: **111-76-2** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-16 8:19:35		
%: 3.0000 - 7.0000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Solvent	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-16 8:19:35

%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to the	ne aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ranç	ges given due to batch to batch variabilit	у.		

				ID: Undisclosed
AZARD DATA SOURCE: Pha	ros Chemical and Materials Librar	у	HAZAR	D SCREENING DATE: 2024-01-16 8:19:35
6: <b>0.1000 - 1.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	1
None found				No listings found on Additional Hazard Lists

DIBUTYLTIN DIACETATE				ID: <b>1067-33-0</b>
HAZARD DATA SOURCE: PI	naros Chemical and Materials L	ibrary	HAZARD S	SCREENING DATE: 2024-01-16 8:19:36
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
МАМ	GHS - Japan	H300 - Fatal if swallowed [Acute Toxicity (oral) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$ 

QUARTZ	ID: <b>14808-60-7</b>

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZAF	RD SCREENING DATE: 2024-01-16 8:19:35
%: 0.1000 - 0.4000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD	SCREENING DATE: 2024-01-16 8:19:35
%: 0.0100 - 0.2500	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Ind (C2CPII)	novation Institute	C2C Certified v4 I List (RSL) - Effect	Product Standard Restricted Substances ive July 1, 2022
			Core Restrictions	

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-16 8:19:36			
%: 0.0100 - 0.1000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
DEV	CA EPA - Prop 65		Developmental	toxicity	
DEV	US NIH - Reproductive & D Monographs	evelopmental	Clear Evidence Toxicity	of Adverse Effects - Developmental	
MUL	German FEA - Substances Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
REP	GHS - Japan	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
PHY	EU - GHS (H-Statements) A	Annex 6 Table 3-1		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
MAM	EU - GHS (H-Statements) A	EU - GHS (H-Statements) Annex 6 Table 3-1		H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]	
MAM	EU - GHS (H-Statements) A	Annex 6 Table 3-1	H301 - Toxic if 3]	swallowed [Acute toxicity (oral) - Category	
MAM	EU - GHS (H-Statements) A	Annex 6 Table 3-1	H311 - Toxic in Category 3]	contact with skin [Acute toxicity (dermal) -	
MAM	EU - GHS (H-Statements) A	Annex 6 Table 3-1		damage to organs [Specific target organ exposure - Category 1]	
EYE	GHS - New Zealand		Eye irritation ca	ategory 2	
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or sure [Specific target organs/systemic toxicity ted exposure - Category 1]	
MAM	GHS - New Zealand	GHS - New Zealand		Specific target organ toxicity - repeated exposure category	
MAM	GHS - Japan	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
MAM	GHS - New Zealand	GHS - New Zealand		Acute inhalation toxicity category 3	
REP	GHS - New Zealand	GHS - New Zealand		Reproductive toxicity category 2	
EYE	GHS - Korea			serious eye irritation [Serious eye on - Category 2]	
PHY	GHS - Korea	GHS - Korea		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
PHY	GHS - New Zealand		Flammable liquids category 2		
PHY	GHS - Japan		H225 - Highly f liquids - Catego	lammable liquid and vapour [Flammable ory 2]	

PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]
MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Korea	H370 - Causes damage to organs [Specific target organ toxicity - Single exposure - Category 1]
MAM	GHS - Malaysia	H370 - Causes damage to organs [Specific target organ toxicity - single exposure - Category 1]
MAM	GHS - Australia	H370 - Causes damage to organs [Specific target organ toxicity - single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$ 

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

## CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL

ISSUE DATE: 2018-02-26 00:00:00

CERTIFIER OR LAB: UL

**EXPIRY DATE:** Environment

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 

## **VOC CONTENT**

## **VOC Content**

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE: 2021-11-04 00:00:00 **EXPIRY DATE:** 

CERTIFIER OR LAB: SELF-

**DECLARED** 

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Complies with SCAQMD Rule 1113 (Waterproofing Sealer) and CARB SCM 2007/2019 (Waterproofing Membrane).

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd

Unit #3

Santa Fe Springs, CA 90670 COUNTRY: United States

WEBSITE:

https://www.custombuildingproducts.com/products/redgard-

speedcoat-waterproofing-membrane CONTACT NAME: Tim Kennedy TITLE: Compliance Manager PHONE: (470) 681-5332

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.