Silk™ Patching & Finishing Compound by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1340520448 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A fast-curing, calcium aluminate based, patching and finishing compound that provides a smooth finish to a variety of substrates prior to the installation of floor coverings. Formulated with Controlled Cure Technology,™ Silk helps eliminate installation problems of bond failure, crumbling, mildew and staining of resilient flooring due to free-moisture found in traditional underlayments. Its rapid setting formula allows installation of most floor coverings in as little as 30 minutes.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No.

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SILK™ PATCHING & FINISHING COMPOUND [HIGH-ALUMINA CEMENT LT-UNK LIMESTONE, CALCIUM CARBONATE BM-3dg PORTLAND CEMENT LT-P1 | CAN | END | MAM UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | MAM UNDISCLOSED LT-UNK | RES QUARTZ BM-1 | CAN | MAM | GEN UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | DEV | REP | MAM | EYE | AQU UNDISCLOSED LT-UNK | SKI | EYE | REP | AQU UNDISCLOSED BM-2 UNDISCLOSED

LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBL

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2024-01-17 PUBLISHED DATE: 2024-01-17

EXPIRY DATE: 2027-01-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SILK™ PATCHING & FINISHING COMPOUND

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

HIGH-ALUMINA CEMENT				ID: 65997-16-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZARD S	SCREENING DATE: 2024-01-17 6:37:16
%: 35.0000 - 45.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

en: BM-3dg	RC: None	NANO: No	SUBSTANCE R	OLE: Filler
				OLL. I IIICI
ME AND SOURCE		WARNINGS		
		No warn	ings found on HPD	Priority Hazard Lists
ME AND SOURCE		NOTIFICATION		
		No I	istings found on Add	ditional Hazard Lists
			No warn	No warnings found on HPD

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE, CALCIUM CARBONATE

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 6:37:17

ID: 1317-65-3

%: 8.0000 - 18.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
END	TEDX - Potential Endocrine Di	sruptors	Potential Endocrine	e Disruptor
MAM	GHS - Japan			respiratory irritation [Specific target gle exposure - Category 3]
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAR	D SCREENING DATE: 2024-01-17 6:37:17
%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Rai	nges given due to batch to batch variability.			

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: P	haros Chemical and Materials Libra	ary	HAZARD S	SCREENING DATE: 2024-01-17 6:37:17
%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	e respiratory irritation [Specific target angle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	1	HAZAF	RD SCREENING DATE: 2024-01-17 6:37:1
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
RES	AOEC - Asthmagens		Asthmagen (R	s) - sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

QUARTZ
HAZARD DATA SOURCE: Pharos Chemical and Materials Library

%: 0.0000 - 1.0000

GreenScreen: BM-1

RC: None
NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

 UNDISCLOSED

 HAZARD DATA SOURCE:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2024-01-17 6:37:17

 %: 0.2500 - 0.7500
 GreenScreen: LT-UNK
 RC: None
 NANO: No
 SUBSTANCE ROLE: Viscosity modifier

 HAZARD TYPE
 LIST NAME AND SOURCE
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: PI	haros Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-01-17 6:37:18
%: 0.3000 - 0.7000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
DEV	CA EPA - Prop 65		Developmental to	oxicity
REP	GHS - Japan		H360 - May dama reproduction - Ca	age fertility or the unborn child [Toxic to ategory 1A]
REP	GHS - New Zealand		Reproductive tox	icity category 1
MAM	GHS - Japan		-	e respiratory irritation [Specific target ingle exposure - Category 3]
EYE	GHS - New Zealand		Eye irritation cate	egory 2
EYE	GHS - Australia			erious eye irritation [Serious eye ation - Category 2A]
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or re [Specific target organs/systemic toxicity d exposure - Category 1]
MAM	GHS - New Zealand		Specific target or	gan toxicity - repeated exposure category
MAM	GHS - Japan			amage to organs [Specific target toxicity following single exposure -
AQU	GHS - Japan		H401 - Toxic to a environment (acu	equatic life [Hazardous to the aquatic lite) - Category 2]
AQU	GHS - Japan			e aquatic life with long lasting effects e aquatic environment (chronic) -
DEV	GHS - Japan		-	e harm to breast-fed children Foxicity - May cause harm to breast-fed
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard Lists

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZA	ARD SCREENING DATE: 2024-01-17 6:37:18
%: 0.1000 - 0.6000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation	category 2
EYE	GHS - New Zealand		Eye irritation	category 2
SKI	GHS - Australia		H315 - Cause Category 2]	es skin irritation [Skin corrosion/irritation -
REP	GHS - Japan			ected of damaging fertility or the unborn child oduction - Category 2]
AQU	GHS - Japan			to aquatic life [Hazardous to the aquatic (acute) - Category 2]
EYE	GHS - Australia			es serious eye damage [Serious eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	NC
None found				No listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Librar	у	HAZAF	RD SCREENING DATE: 2024-01-17 6:37:18
%: 0.0000 - 0.4000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE	Pharos Chemical and Materials Librar	у	HAZA	ARD SCREENING DATE: 2024-01-17 6:37:18
%: 0.0000 - 0.1500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	,	Chelating Agents - Green Circle (Verified Low Concern)
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Preservatives-Antioxidants - Green Circle (Verified Low Concern)

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-05-27 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: UL

CERTIFICATE URL:

https://www.custombuildingproducts.com/referencelibrary/leed-certification/greenguard-gold-certification.aspx

CERTIFICATION AND COMPLIANCE NOTES:

Environment

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-02-26 00:00:00

CERTIFIER OR LAB: SELF-

CERTIFICATE URL:

EXPIRY DATE:

DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd

Unit #3

Santa Fe Springs, CA 90670 COUNTRY: United States

WEBSITE:

http://www.customtechflooring.com/products/patching/silk-

patching-finishing-compound/ CONTACT NAME: Tim Kennedy TITLE: Compliance Manager PHONE: (470) 681-5332

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.