TechPrime A Acrylic Primer by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 67164556288

CLASSIFICATION: 09 96 00 High-Performance Coatings PRODUCT TYPE: Interior Primer, General (Paints and Coatings)

PRODUCT DESCRIPTION: TechPrime A is an advanced acrylic primer and sealer that prepares surfaces for the application of an appropriate CustomTech™ self-leveling underlayment. It seals porous and non-porous surfaces and improves the bond of the underlayment to the subsurface.

Residuals/Impurities Evaluation

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TECHPRIME A ACRYLIC PRIMER [WATER BM-4 UNDISCLOSED LT-UNK 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-

UNK | CAN | AQU AMMONIUM HYDROXIDE LT-P1 | MUL | SKI | AQU |

MAM | EYE | PHY SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY

PARAFFINIC PETROLEUM DISTILLATES) LT-1 | CAN | MUL | SKI |

DEV C.I. PIGMENT BLUE 15 (C.I. PIGMENT BLUE 15) BM-3

UNDISCLOSED LT-P1 | MUL | EYE | SKI | MAM | AQU UNDISCLOSED

BM-2 | END | SKI | MUL | AQU | MAM | EYE]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 43.8 Regulatory (g/l): 43.8

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2024-01-17 PUBLISHED DATE: 2024-01-17 EXPIRY DATE: 2027-01-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: Ranges given due to batch to batch variation.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TECHPRIME A ACRYLIC PRIMER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

WATER				ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-01-17 8:02:53	
%: 70.0000 - 80.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European (Commission (EU	EU - REACH Exer	mptions
	LO)		Exempted from RI safety	EACH Annex IV listing due to intrinsic

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAR	D SCREENING DATE: 2024-01-17 8:02:5
%: 20.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	1
None found				No listings found on Additional Hazard Lists

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-01-17 8:02:5
%: 0.5000 - 1.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		0 1	3A - Evidence of carcinogenic effects o establish MAK/BAT value
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

AMMONIUM HYDROXIDE	ID: 1336-21-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-01-17 8:02:54

%: 0.1000 - 0.3000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Buffer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Ranges given due to batch to batch variation.

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES)

ID: 64742-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:02:54
%: 0.0000 - 0.1000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES: Ranges given due to batch to batch variation.

C.I. PIGMENT BLUE 15 (C.I. PIGMENT BLUE 15)

ID: **147-14-8**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-01-17 8:02:53
%: 0.0000 - 0.1000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection	n Agency (US	US EPA - DfE Sai	fer Chemicals Ingredients list (SCIL)
	Li Aj		Colorants - Green	Circle (Verified Low Concern)

 ${\small {\sf SUBSTANCE\ NOTES:}\ Ranges\ given\ due\ to\ batch\ to\ batch\ variation.}}$

UNDISCLOSED ID: Undisclosed

1AZARD DATA SOURCE: P	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-01-17 8:02:	
%: 0.0000 - 0.0010	GreenScreen: LT-P1 RC: None	NANO: No SUBSTANCE ROLE: Antimicrobial Pestici	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
EYE	GHS - New Zealand	Serious eye damage category 1	
SKI	GHS - New Zealand	Skin sensitisation category 1	
MAM	GHS - New Zealand	Acute inhalation toxicity category 2	
MAM	GHS - New Zealand	Acute oral toxicity category 2	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2	
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]	
SKI	GHS - New Zealand	Skin corrosion category 1B	
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]	
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]	
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]	
MAM	GHS - New Zealand	Acute dermal toxicity category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List	
		Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List	
		Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Core Restrictions	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Cosmetics & Personal Care Products	

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-17 8:02:54

%: 0.0000 - 0.0010 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Ranges given due to batch to batch variation.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL:

http://www.custombuildingproducts.com/leedinformation#GreenGuard-Gold-Certification/

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2020-08-28 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: UL

Environment

VOC CONTENT

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

VOC Content

ISSUE DATE: 2020-09-30 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit #3

Santa Fe Springs, California 90670

COUNTRY: United States

WEBSITE:

https://www.custombuildingproducts.com/products/techprime-a-

acrylic-primer-2

CONTACT NAME: **Tim Kennedy**TITLE: **Compliance Manager**PHONE: **(470) 681-5332**

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.