VersaBond® Professional Thin-Set Mortar by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 6692975074304

CLASSIFICATION: 09 30 00 Tiling

PRODUCT TYPE: Cementitious Setting Material (Tile)

PRODUCT DESCRIPTION: A professional formula, all-purpose mortar, polymer-modified to provide good bond strength for floor and tile projects. VersaBond® cures quickly even in cold climates and adheres to most surfaces, exceeding ANSI A118.4 and A118.11 without the need for additives.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized Yes ○ No.

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VERSABOND® PROFESSIONAL THIN-SET MORTAR [QUARTZ BM-1 | CAN | MAM | GEN PORTLAND CEMENT LT-P1 | CAN | END | MAM FLY ASH LT-UNK LIMESTONE, CALCIUM CARBONATE BM-3dg BLAST FURNACE SLAG LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-3dg | MAM UNDISCLOSED BM-3 | EYE UNDISCLOSED BM-2]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.0 Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the

base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2024-01-03** PUBLISHED DATE: 2024-01-03 EXPIRY DATE: 2027-01-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

VERSABOND® PROFESSIONAL THIN-SET MORTAR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	ry	HAZARD SO	CREENING DATE: 2024-01-03 12:23:46
%: 40.0000 - 70.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carci	nogens	Occupational Card	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure
CAN	US NIH - Report on Carcinoge	ens	Known to be Humo	an Carcinogen (respirable size - ng)
CAN	MAK		Carcinogen Group man	1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent is from occupational	carcinogenic to humans - inhaled sources
CAN	IARC		Group 1 - Agent is	Carcinogenic to humans
CAN	US NIH - Report on Carcinoge	ens	Known to be a hur	man Carcinogen
CAN	GHS - Japan		H350 - May cause 1A]	cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cause - Category 1A or 1	e cancer by inhalation [Carcinogenicity B]
CAN	GHS - New Zealand		Carcinogenicity ca	ategory 1
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic repeated exposure - Category 1]
GEN	GHS - Japan		H341 - Suspected mutagenicity - Cat	of causing genetic defects [Germ cell regory 2]
MAM	GHS - Australia			mage to organs through prolonged or e [Specific target organ toxicity - e - Category 1]
MAM	GHS - New Zealand		Specific target org	an toxicity - repeated exposure

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

PORTLAND CEMENT

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-03 12:23:47

%: **15.0000 - 40.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIST NAME AND SOURCE	WARNINGS
MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
LIST NAME AND SOURCE	NOTIFICATION
	No listings found on Additional Hazard Lists
	MAK TEDX - Potential Endocrine Disruptors GHS - Japan GHS - Japan

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FLY ASH					ID: 68131-74-8
HAZARD DATA SOURCE: 1	Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE:	2024-01-03 12:23:47
%: 10.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnin	ngs found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No lis	tings found on Ad	ditional Hazard Lists
SUBSTANCE NOTES: Ranç When source is available, ç	ges given due to batch to batch variabili gray version only.	ty.			

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Librar	/	HAZARD SO	PREENING DATE: 2024-01-03 12:23:4
%: 10.0000 - 30.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnir	ngs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	tings found on Additional Hazard Lists

BLAST FURNACE SLAG ID: 65996-69-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	CREENING DATE: 2024-01-03 12:23:47
%: 7.0000 - 13.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnii	ngs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability. When source is available, white version only.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARI	O SCREENING DATE: 2024-01-03 12:23:47
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	urnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	I
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ra	anges given due to batch to batch variabilit	ry.		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Librar	/	HAZARD S	CREENING DATE: 2024-01-03 12:23:4
%: 0.0000 - 2.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	e respiratory irritation [Specific target ingle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-01-03 12:23:4
%: 0.3000 - 1.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	regory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection	on Agency (US	US EPA - DfE Sa	afer Chemicals Ingredients list (SCIL)
	 , , ,		Enzymes and Sta Concern)	abilizers - Green Circle (Verified Low

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARI	D SCREENING DATE: 2024-01-03 12:23:48
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			N	o listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS UL/GreenGuard Gold Certified ISSUE DATE: 2019-05-27 00:00:00 CERTIFIER OR LAB: UL **CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: ALL **EXPIRY DATE: Environment CERTIFICATE URL:** https://www.custombuildingproducts.com/referencelibrary/leed-certification/greenguard-goldcertification.aspx CERTIFICATION AND COMPLIANCE NOTES: **VOC CONTENT VOC Content** CERTIFYING PARTY: Self-declared ISSUE DATE: 2019-04-16 00:00:00 CERTIFIER OR LAB: SELF-



Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES:

APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXPIRY DATE:

No accessories are required for this product.



Section 5: General Notes

DECLARED

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit #3
Santa Fe Springs, California 90670

COUNTRY: United States

WEBSITE:

https://www.custombuildingproducts.com/products/setting-

materials/polymer-modified-thin-setmortars/versabond/versabond.aspx CONTACT NAME: Tim Kennedy TITLE: Compliance Manager

PHONE: (470) 681-5332

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

OLO Olabalana

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led

organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.