Vinyl PSA--Pressure Sensitive Adhesive by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 162360303616 CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring PRODUCT TYPE: Organic Adhesive (Tile)

PRODUCT DESCRIPTION: Vinyl PSA is an advanced pressure sensitive adhesive designed for the challenges of today's most popular resilient and soft surface flooring. Adding to its versatility, this unique formulation allows it to be used in permanent or releasable applications. Vinyl PSA is solvent and glycol free, making it ideal for projects that require low VOC's. The high moisture and pH resistance make this product ideal for even the toughest applications. Suitable as an adhesive LVT-LVP / Luxury Vinyl Tiles and Planks Carpet Tile (Vinyl and non-vinyl backed) Vinyl sheet goods Fiberglass sheet goods VCT/Vinyl Composition Tiles



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No.

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified O Ves @ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VINYL PSA--PRESSURE SENSITIVE ADHESIVE [WATER BM-4 UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | PBT | MUL | SKI | DEV ROSIN LT-P1 | SKI | MAM | AQU | REP | RES UNDISCLOSED LT-UNK UNDISCLOSED NoGS UREA LT-UNK EYE UNDISCLOSED LT-UNK | SKI | EYE ETHANOLAMINE LT-P1 | END | SKI | MUL | MAM | EYE AQU ACIDS, TALL OIL LT-UNK UNDISCLOSED NoGS TROLAMINE LT-P1 | END | MAM | EYE | SKI POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9) LT-P1 | PBT UNDISCLOSED BM-1 | REP | MUL | MAM | AQU | EYE | DEV | SKI UNDISCLOSED BM-1 | CAN | END | SKI | MUL | EYE | MAM | AQU | REP UNDISCLOSED LT-P1 | SKI | MUL | AQU | EYE | MAM UNDISCLOSED LT-P1 | END | CAN | MUL | MAM | AQU | REP 1

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 14.8 Regulatory (g/l): 14.8

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore

VOC emissions: CRI Green Label Plus - Adhesives

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2024-01-17 PUBLISHED DATE: 2024-01-17 EXPIRY DATE: 2027-01-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

VINYL PSA--PRESSURE SENSITIVE ADHESIVE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

WATER				ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-01-17 8:43:43	
%: 40.0000 - 50.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European (EC)	Commission (EU	EU - REACH Exer	mptions
	20)		Exempted from RI safety	EACH Annex IV listing due to intrinsic

HAZARD DATA SOURCE: PI	naros Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-01-17 8:43:43
%: 25.0000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD S	SCREENING DATE: 2024-01-17 8:43:
%: 5.0000 - 15.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Category on animal evidence	ory 1B - Presumed Carcinogen based e
PBT	EC - CEPA DSL		Persistent, Bioacci to humans	umulative and inherently Toxic (PBiTH)
MUL	ChemSec - SIN List		CMR - Carcinogen	n, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances H Waters	azardous to	Class 3 - Severe H	lazard to Waters
CAN	GHS - Australia		H350 - May cause or 1B]	cancer [Carcinogenicity - Category 1A
CAN	EU - GHS (H-Statements) An	nex 6 Table 3-1	H350 - May cause or 1B]	cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes ski Category 2]	n irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspected	d of damaging the unborn child city - Category 2]
CAN	EU - REACH Annex XVII CM	Rs	Carcinogens: Cate	egory 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute	C2C Certified v4 P List (RSL) - Effecti	Product Standard Restricted Substance ve July 1, 2022
			Children's Product	s
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute	C2C Certified v4 P List (RSL) - Effecti	Product Standard Restricted Substance ve July 1, 2022
			Formulated Consu	mer Products

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ROSIN				ID: 8050-09-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	SCREENING DATE: 2024-01-17 8:43:44
%· 2.0000 = 10.0000	GreenScreen: I T-P1	BC: None	NANO: No	SUBSTANCE BOLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.	

HAZARD DATA SOURCE: PI	haros Chemical and Materials Libr	ary	HAZARD S	SCREENING DATE:	2024-01-17 8:43:44
%: 3.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE R	OLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wari	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4 F List (RSL) - Effecti	roduct Standard Resve July 1, 2022	stricted Substances
			Core Restrictions		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	orary	HAZARD S	SCREENING DATE: 2024-01-17 8:43:43
%: 2.0000 - 10.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

None lound		No listings found on Additional Hazard Lists
None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No warnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

UREA				ID: 57-13-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD S	SCREENING DATE: 2024-01-17 8:43:44
%: 1.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation categ	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institut	e (GSPI)	GSPI - Six Classe	s Precautionary List
			Antimicrobials	
SUBSTANCE NOTES: Rar	nges given due to batch to batch variab	ility.		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-01-17 8:43:44
%: 0.1000 - 0.7000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes sk Category 2]	sin irritation [Skin corrosion/irritation -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ran	ges given due to batch to batch variability.			

ETHANOLAMINE ID: 141-43-5

	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2024-01-17 8:43:
6: 0.5000 - 0.7000	GreenScreen: LT-P1 RC: None	NANO: No SUBSTANCE ROLE: Buffer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicit following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ACIDS, TALL OIL ID: 61790-12-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:43:45

%: 0.1000 - 0.5000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Emulsifier

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No warnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZAF	RD SCREENING DATE: 2024-01-17 8:43:44
%: 0.2000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ra	nges given due to batch to batch variability	·.		

TROLAMINE				ID: 102-71-6	
HAZARD DATA SOURCE	Pharos Chemical and Materials Li	ibrary	HAZARD S	SCREENING DATE: 2024-01-17 8:43:45	
%: 0.0500 - 0.2500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer	
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS		
END	TEDX - Potential Endocrine	e Disruptors	Potential Endocrin	e Disruptor	
MAM	GHS - Japan			respiratory irritation [Specific target agle exposure - Category 3]	
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -	
EYE	GHS - Australia		H319 - Causes se damage/eye irritat	rious eye irritation [Serious eye ion - Category 2A]	
SKI	GHS - Japan		H315 - Causes sk Category 2]	in irritation [Skin corrosion / irritation -	
EYE	GHS - Japan		H319 - Causes se eye irritation - Cat	rious eye irritation [Serious eye damage / egory 2A]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List	
		Some Solvents	
SUBSTANCE NOTES: Ranges given due to batch to batch variability.			

POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9)

ID: 2161362-23-6

creen: LT-P1 NAME AND SOURCE	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
NAME AND SOURCE			
		WARNINGS	
CEPA DSL		Persistent, Bioacc to humans	cumulative and inherently Toxic (PBiTH)
NAME AND SOURCE		NOTIFICATION	
		No	o listings found on Additional Hazard Lists
	NAME AND SOURCE		NAME AND SOURCE NOTIFICATION

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED	ID: Undisclosed

HAZARD DATA SOURCE:	ZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-17 8:43:46		
%: 0.0500 - 0.1500	GreenScreen: BM-1	GreenScreen: BM-1 RC: None		SUBSTANCE ROLE: Antimicrobial Pesticide	
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE		S	
REP	EU - Annex VI CMRs	EU - Annex VI CMRs		ve Toxicity - Category 1B	
MUL	German FEA - Substances F Waters	erman FEA - Substances Hazardous to aters		evere Hazard to Waters	
REP	GHS - Japan	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
MAM	EU - GHS (H-Statements) Ar	EU - GHS (H-Statements) Annex 6 Table 3-1		ses damage to organs through prolonged or sposure [Specific target organ toxicity - sposure - Category 1]	
AQU	EU - GHS (H-Statements) Ar	EU - GHS (H-Statements) Annex 6 Table 3-1		v toxic to aquatic life [Hazardous to the aquatic acute) - Category 1]	
AQU	EU - GHS (H-Statements) Ar	EU - GHS (H-Statements) Annex 6 Table 3-1		toxic to aquatic life with long lasting effects to the aquatic environment (chronic) -	
MAM	EU - GHS (H-Statements) Ar	EU - GHS (H-Statements) Annex 6 Table 3-1		ic if swallowed [Acute toxicity (oral) - Category	

EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZAR	D SCREENING DATE: 2024-01-17 8:43:46
%: 0.0100 - 0.0500	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

UNDISCLOSED

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:43:45 %: 0.0100 - 0.0500 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide HAZARD TYPE LIST NAME AND SOURCE **WARNINGS** Sensitizing Substance Sh - Danger of skin sensitization SKI MAK MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters SKI EU - GHS (H-Statements) Annex 6 Table 3-1 H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] **AQU** EU - GHS (H-Statements) Annex 6 Table 3-1 H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] EYE EU - GHS (H-Statements) Annex 6 Table 3-1 H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] SKI GHS - New Zealand Skin irritation category 2 SKI GHS - Australia H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] EYE GHS - New Zealand Serious eye damage category 1 EYE H318 - Causes serious eye damage [Serious eye damage / GHS - Japan eye irritation - Category 1] SKI GHS - Japan H315 - Causes skin irritation [Skin corrosion / irritation -Category 2] SKI GHS - New Zealand Skin sensitisation category 1 AQU GHS - New Zealand Hazardous to the aquatic environment - acute category 1 MAM GHS - Japan H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure -Category 2] AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] H410 - Very toxic to aquatic life with long lasting effects AQU GHS - Japan [Hazardous to the aquatic environment (chronic) -Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic category 1 EYE GHS - Australia H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] AQU GHS - Australia H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] MAM GHS - Japan H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]

ID: Undisclosed

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZAF	RD SCREENING DATE: 2024-01-17 8:43:4
%: 0.0010 - 0.0100	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endo	ocrine Disruptor
END	ChemSec - SIN List		Endocrine Disr	ruption
CAN	MAK		Carcinogen Gr risk under MA	roup 4 - Non-genotoxic carcinogen with low
MUL	German FEA - Substances H Waters	Hazardous to	Class 2 - Haza	ard to Waters
MAM	GHS - Japan			s damage to organs [Specific target ic toxicity following single exposure -
AQU	GHS - New Zealand		Hazardous to t	the aquatic environment - acute category 1
AQU	GHS - Japan			xic to aquatic life [Hazardous to the aquatic acute) - Category 1]
AQU	GHS - Japan			xic to aquatic life with long lasting effects the aquatic environment (chronic) -
AQU	GHS - New Zealand		Hazardous to t	the aquatic environment - chronic category 1
REP	GHS - Japan			cted of damaging fertility or the unborn child duction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Cla	sses Precautionary List
			Antimicrobials	

 ${\small \verb|SUBSTANCE| NOTES: Ranges| given due to batch to batch variability.}$

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2020-12-22 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: SCS Global
CERTIFICATION AND COMPLIANCE NOTES:		
VOC EMISSIONS	CRI Green Label Plus - Adhesives	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2021-06-29 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: CRI
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	VOC Content	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2020-11-03 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit #3

Santa Fe Springs, California 90670

COUNTRY: United States

WEBSITE:

adhesive/vinyl-psa-pressure-sensitive-adhesive.aspx#

CONTACT NAME: **Tim Kennedy** TITLE: **Compliance Manager** PHONE: **(470) 681-5332**

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.