Vinyl VCT--Vinyl Composition Tile Adhesive by Custom Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1384325120

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT TYPE: Organic Adhesive (Tile), Acrylic (Resilient Installation Adhesive)

PRODUCT DESCRIPTION: Vinyl VCT adhesive is engineered to minimize dry time, while maximizing adjustable grab and slip resistance. This solvent free, low odor adhesive is ideally suited for applications where VOC's are of concern. CUSTOM's thin spread adhesive dries clear, keeping layout lines visible during installation. Vinyl VCT is recommended for installation over young concrete slabs with moisture vapor emission rates (MVERs) up to 8 lbs. per 1,000 sq. ft. per 24 hours (452 µg/s per second m2) and up to 95% RH, per Relative Humidity in Concrete Floor Slabs using in situ Probes/ASTM F2170. Suitable as an adhesive Vinyl Composition Tiles [including Large Format] Vinyl Quartz Tiles Vinyl Asphalt Tiles



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No.

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VINYL VCT--VINYL COMPOSITION TILE ADHESIVE [WATER BM-4 UNDISCLOSED LT-1 | CAN | PBT | MUL | SKI | DEV DISTILLATES (PETROLEUM), STEAM-CRACKED, POLYMD. NoGS UNDISCLOSED LT-UNK ROSIN LT-P1 | SKI | MAM | AQU | REP | RES UNDISCLOSED LT-UNK UREA LT-UNK | EYE UNDISCLOSED LT-UNK | SKI | EYE ACRYLIC POLYMER NoGS ACIDS, TALL OIL LT-UNK ETHANOLAMINE LT-P1 | END | SKI | MUL | MAM | EYE | AQU TROLAMINE LT-P1 | END | MAM | EYE | SKI PYRITHIONE ZINC BM-1 | REP | MUL | MAM | AQU | EYE | DEV | SKI

POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9) LT-P1

PBT UNDISCLOSED LT-P1 | SKI | MUL | AQU | EYE | MAM

UNDISCLOSED BM-1 | CAN | END | SKI | MUL | EYE | MAM | AQU | REP

UNDISCLOSED LT-P1 | END | CAN | MUL | MAM | AQU | REP]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-1, LT-P1, BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 16.5 Regulatory (g/l): 16.5

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: RFCI FloorScore VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2024-01-17 PUBLISHED DATE: 2024-01-17 EXPIRY DATE: 2027-01-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

VINYL VCT--VINYL COMPOSITION TILE ADHESIVE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

| HAZARD DATA SOURCE: Ph | aros Chemical and Materials Libra | ary | HAZARD | SCREENING DATE: 2024-01-17 8:47:49 |
|-------------------------------|------------------------------------|----------------|-------------------------|--|
| %: 42.0000 - 52.0000 | GreenScreen: BM-4 | RC: None | NANO: No | SUBSTANCE ROLE: Solvent |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| EXEMPT | European Union / European (EC) | Commission (EU | EU - REACH Exer | mptions |
| | | | Exempted from RI safety | EACH Annex IV listing due to intrinsic |

| UNDISCLOSED | | | | ID: Undisclosed |
|----------------------|------------------------------------|----------|-----------------|-----------------------------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Libr | ary | HAZARD S | CREENING DATE: 2024-01-17 8:47:49 |
| %: 15.0000 - 22.0000 | GreenScreen: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: Diluent |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| CAN | GHS - Australia | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| DEV | GHS - Australia | H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2] |
| CAN | EU - REACH Annex XVII CMRs | Carcinogens: Category 1B |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Formulated Consumer Products |

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

| DISTILL ATES | PETROLEUM). | STEAM-CRACKED. | POLYMD. |
|--------------|-------------|----------------|---------|
| DIGITEEATEG | (| OILAM OHAOKED | , |

ID: 68131-77-1

| INZALID DATA SOUNCE. FI | naros Chemical and Materials Librar | <i>y</i> | TIAZATID | SCREENING DATE: 2024-01-17 8:47:4 |
|-------------------------|-------------------------------------|----------|--------------|---|
| %: 10.0000 - 18.0000 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

UNDISCLOSED ID: Undisclosed

| HAZARD DATA SOURCE: F | Pharos Chemical and Materials Library | | HAZARD S | SCREENING DATE: 2024-01-17 8:47:50 |
|----------------------------|---------------------------------------|----------|-----------------|---|
| %: 7.0000 - 17.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warr | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |

| HAZARD DATA SOURCE: Pha | os Chemical and Materials Library | | HAZARD S | SCREENING DATE: 2024-01-17 8:47: |
|---------------------------|-----------------------------------|----------|--|--|
| %: 1.0000 - 5.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| SKI | MAK | | Sensitizing Substa | nce Sh - Danger of skin sensitization |
| MAM | GHS - Japan | | - | respiratory irritation [Specific target gle exposure - Category 3] |
| SKI | GHS - New Zealand | | Skin sensitisation | category 1 |
| AQU | GHS - New Zealand | | Hazardous to the a | aquatic environment - chronic category 2 |
| REP | GHS - Japan | | H361 - Suspected [Toxic to reproduct | of damaging fertility or the unborn child tion - Category 2] |
| AQU | GHS - Japan | | H401 - Toxic to aq environment (acute | uatic life [Hazardous to the aquatic e) - Category 2] |
| AQU | GHS - Japan | | | uatic life with long lasting effects aquatic environment (chronic) - |
| RES | GHS - Japan | | • | allergy or asthma symptoms or es if inhaled [Respiratory sensitization - |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |

UNDISCLOSED

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-17 8:47:49

%: 1.0000 - 5.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|------------------------|---|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Bange | s given due to batch to batch variability | |

| UREA | | | | ID: 57-13-6 |
|---------------------------|--|----------|----------------------|------------------------------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Libra | ary | HAZARD S | SCREENING DATE: 2024-01-17 8:47:49 |
| %: 1.0000 - 2.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| EYE | GHS - New Zealand | | Eye irritation categ | jory 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| RESTRICTED LIST | Green Science Policy Institute | e (GSPI) | GSPI - Six Classes | s Precautionary List |
| | | | Antimicrobials | |
| SUBSTANCE NOTES: Ra | anges given due to batch to batch variabil | lity. | | |

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | | HAZARD | SCREENING DATE: 2024-01-17 8:47:4 |
|---------------------------|---------------------------------------|----------|---------------------------------------|--|
| %: 0.5000 - 1.5000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Emulsifier |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| SKI | GHS - Australia | | H315 - Causes sk Category 2] | sin irritation [Skin corrosion/irritation - |
| EYE | GHS - Australia | | H318 - Causes se damage/eye irrita | erious eye damage [Serious eye tion - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | o listings found on Additional Hazard Lists |

ACRYLIC POLYMER ID: 9063-87-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:47:50

UNDISCLOSED

ID: Undisclosed

| %: 0.8000 - 1.2000 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Viscosity modifier |
|---------------------------|--|----------|-----------------|--|
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | Nov | warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | N |
| None found | | | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Range | es given due to batch to batch variability | /. | | |

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | 1 | HAZARD | SCREENING DATE: 2024-01-17 8:47:50 |
|---------------------------|---------------------------------------|----------|-----------------|---|
| %: 0.2000 - 0.8000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Emulsifier |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No wa | rnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | o listings found on Additional Hazard Lists |

| ETHANOLAMINE | | | | ID: 141-43-5 |
|---------------------------|----------------------------------|----------|----------|------------------------------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Li | ibrary | HAZARD S | SCREENING DATE: 2024-01-17 8:47:51 |
| %: 0.3500 - 0.6500 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Buffer |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1C |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| SKI | GHS - Japan | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1A] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List |
| | | Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Antimicrobials |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Some Solvents |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

TROLAMINE ID: 102-71-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-17 8:47:51

%: 0.2000 - 0.5000

GreenScreen: LT-P1

RC: None

NANO: No SUBSTANCE ROLE: Buffer

| LIST NAME AND SOURCE | WARNINGS |
|---------------------------------------|---|
| TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| GHS - New Zealand | Eye irritation category 2 |
| GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| GHS - Japan | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| LIST NAME AND SOURCE | NOTIFICATION |
| Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | Some Solvents |
| | TEDX - Potential Endocrine Disruptors GHS - Japan GHS - New Zealand GHS - Australia GHS - Australia GHS - Japan GHS - Japan LIST NAME AND SOURCE |

 ${\small \verb|SUBSTANCE| NOTES|: Ranges| given due to batch to batch variability.}$

| PYRITHIONE ZINC | ID: 13463-41-7 |
|-----------------|-----------------------|
|-----------------|-----------------------|

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-01-17 8:47:52 | | |
|---|--------------------------------------|---|-------------------|--|
| %: 0.0500 - 0.1500 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Antimicrobial Pesticide |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | S |
| REP | EU - Annex VI CMRs | | Reproductiv | ve Toxicity - Category 1B |
| MUL | German FEA - Substances Ha Waters | zardous to | Class 3 - Se | evere Hazard to Waters |
| REP | GHS - Japan | | • | damage fertility or the unborn child [Toxic to n - Category 1B] |
| MAM | EU - GHS (H-Statements) Ann | ex 6 Table 3-1 | repeated ex | rses damage to organs through prolonged or exposure [Specific target organ toxicity - exposure - Category 1] |
| AQU | EU - GHS (H-Statements) Ann | ex 6 Table 3-1 | | y toxic to aquatic life [Hazardous to the aquatic at (acute) - Category 1] |
| AQU | EU - GHS (H-Statements) Ann | ex 6 Table 3-1 | | y toxic to aquatic life with long lasting effects to the aquatic environment (chronic) - |
| MAM | EU - GHS (H-Statements) Ann | ex 6 Table 3-1 | H301 - Toxi 3] | ic if swallowed [Acute toxicity (oral) - Category |
| EYE | EU - GHS (H-Statements) Ann | ex 6 Table 3-1 | | ises serious eye damage [Serious eye e irritation - Category 1] |

| МАМ | EU - GHS (H-Statements) Annex 6 Table 3-1 | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
|-----|---|---|
| DEV | EU - GHS (H-Statements) Annex 6 Table 3-1 | H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |
| МАМ | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| МАМ | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| МАМ | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - Australia | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | GHS - Australia | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |
| MAM | GHS - Japan | H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3] |
| REP | EU - REACH Annex XVII CMRs | Reproductive toxicants: Category 1B |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---|--|
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List |
| | | Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Cosmetics & Personal Care Products |
| | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9)

ID: **2161362-23-6**

| HAZARD DATA SOURCE: F | Pharos Chemical and Materials Library | | HAZARD | SCREENING DATE: 2024-01-17 8:47:5 |
|-----------------------|---------------------------------------|--|-----------------|---|
| %: 0.0500 - 0.1500 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Defoamer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| PBT EC - CEPA DSL | | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | b listings found on Additional Hazard Lists |

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:47:52

| %: 0.0100 - 0.0500 | GreenScreen: LT-P1 RC: N | one NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide |
|---------------------|---|---|
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table | 3-1 H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| AQU | EU - GHS (H-Statements) Annex 6 Table | 3-1 H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| EYE | EU - GHS (H-Statements) Annex 6 Table | 3-1 H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| МАМ | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| AQU | GHS - Australia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| МАМ | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List |
| | | Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Antimicrobials |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:47:51

%: 0.0100 - 0.0500 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 3 |
| МАМ | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |
| REP | GHS - Japan | H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2] |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Cosmetics & Personal Care Products |

UNDISCLOSED

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-17 8:47:51

| HAZARD TYPE LIST NAME AND SOURCE WARNINGS END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor END ChemSec - SIN List Endocrine Disruption CAN MAK Carcinogen Group 4 - Non-genotoxic carcinoge risk under MAK/BAT levels MUL German FEA - Substances Hazardous to Waters MAM GHS - Japan H370 - Causes damage to organs [Specific targorgans/systemic toxicity following single exposured to category 1] | HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-01-17 8:47:51 | | | |
|--|---|----------------------------|---|-----------------|---|--|
| END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor END ChemSec - SIN List Endocrine Disruption CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen risk under MAK/BAT levels MUL German FEA - Substances Hazardous to Waters MAM GHS - Japan H370 - Causes damage to organs [Specific targorgans/systemic toxicity following single exposus Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - acute organs [Appendix of the appendix of the | %: 0.0010 - 0.0300 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual | |
| END ChemSec - SIN List Endocrine Disruption CAN MAK Carcinogen Group 4 - Non-genotoxic carcinoge risk under MAK/BAT levels MUL German FEA - Substances Hazardous to Waters MAM GHS - Japan H370 - Causes damage to organs [Specific targ organs/systemic toxicity following single exposurants/systemic toxicity | HAZARD TYPE | LIST NAME AND SOURCE | E | WARNINGS | | |
| CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen risk under MAK/BAT levels MUL German FEA - Substances Hazardous to Waters MAM GHS - Japan H370 - Causes damage to organs [Specific targorgans/systemic toxicity following single exposured category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - acute or environment (acute) - Category 1] AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand H361 - Suspected of damaging fertility or the uniform to category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | END | TEDX - Potential Endocrine | e Disruptors | Potential Endo | crine Disruptor | |
| MUL German FEA - Substances Hazardous to Waters MAM GHS - Japan H370 - Causes damage to organs [Specific targorgans/systemic toxicity following single exposus Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - acute of Category 1] AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | END | ChemSec - SIN List | | Endocrine Disr | Endocrine Disruption | |
| MAM GHS - Japan H370 - Causes damage to organs [Specific targorgans/systemic toxicity following single exposus Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - acute of environment (acute) - Category 1] AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand H361 - Suspected of damaging fertility or the unit [Toxic to reproduction - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | CAN | MAK | | _ | | |
| AQU GHS - New Zealand Hazardous to the aquatic environment - acute of environment (acute) - Category 1] AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | MUL | | | | ard to Waters | |
| AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] AQU GHS - Japan H361 - Suspected of damaging fertility or the unit [Toxic to reproduction - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | MAM | GHS - Japan | | organs/system | | |
| AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic Category 1] REP GHS - Japan H361 - Suspected of damaging fertility or the un [Toxic to reproduction - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | AQU | GHS - New Zealand | GHS - New Zealand | | Hazardous to the aquatic environment - acute category 1 | |
| [Hazardous to the aquatic environment (chronic Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic GHS - Japan H361 - Suspected of damaging fertility or the uniform to reproduction - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | AQU | GHS - Japan | | - | | |
| REP GHS - Japan H361 - Suspected of damaging fertility or the unit [Toxic to reproduction - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | AQU | GHS - Japan | | [Hazardous to | | |
| ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | AQU | GHS - New Zealand | | Hazardous to t | the aquatic environment - chronic category 1 | |
| RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List | REP | GHS - Japan | GHS - Japan | | | |
| | ADDITIONAL LISTINGS | LIST NAME AND SOURCE | E | NOTIFICATIO | N | |
| Antimicrobials | RESTRICTED LIST | Green Science Policy Insti | tute (GSPI) | GSPI - Six Cla | sses Precautionary List | |
| | | | | Antimicrobials | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ID: Undisclosed

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | RFCI FloorScore | |
|---|---|-------------------------------------|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL: | ISSUE DATE: 2020-12-22 00:00:00 EXPIRY DATE: | CERTIFIER OR LAB: SCS Global |
| CERTIFICATION AND COMPLIANCE NOTES: | | |
| VOC CONTENT | VOC Content | |
| CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL: | ISSUE DATE: 2020-11-03 00:00:00 EXPIRY DATE: | CERTIFIER OR LAB: SELF- DECLARED |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

Bection 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd Unit #3 Santa Fe Springs, California 90670

COUNTRY: United States

WEBSITE:

https://www.custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products.com/products/adhesives/resilient-custombuilding products/adhesives/resilient-custombuilding products/adhesives/re

adhesive/vinyl-vct-composition-tile-adhesive.aspx

CONTACT NAME: **Tim Kennedy** TITLE: **Compliance Manager** PHONE: **(470) 681-5332**

EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.